



Panasonic recommends Windows.

TOUGHPAD FZ-M1

- MIL-STD-810G, 5' Drop and All-weather IP65 Dust and Water-resistant Design
- User-replaceable Battery, Bridge Battery and Optional Long Life Battery
- Optional NFC, Ethernet, Serial, SmartCard, Magstripe, UHF RFID and Barcode Reader¹
- Wi-Fi, Bluetooth® and Optional Dedicated GPS or 4G LTE Multi Carrier Mobile Broadband
- Industry leading driver packages for ease of deployment and support

5-FOOT
DROP RATING

IP65

MIL-STD-810G

THE WORLD'S MOST CONFIGURABLE 7" WINDOWS® TABLET, WITH INTEL® 6TH GENERATION CORE M5 PROCESSOR.

The Panasonic Toughpad® FZ-M1 is the fully rugged Windows® tablet, built to enable mission-critical mobile worker productivity without compromise. Powered by Windows® 10 Pro, the Toughpad FZ-M1 features a long life, user-replaceable battery and a daylight-readable, high-sensitivity multi-touch display for use with heavy gloves. With the broadest range of configuration options available in its class, the highly customizable Toughpad FZ-M1 is the ideal tool for today's mobile workforce.

TOUGHPAD FZ-M1

Panasonic recommends Windows.

SOFTWARE

- Windows® 10 Professional
- Panasonic Utilities (including Dashboard), Recovery Partition
- Enterprise ready driver packages including CAB files and one-click driver bundles

DURABILITY

- MIL-STD-810G certified (5' drop, shock, vibration, rain, dust, sand, altitude, freeze/thaw, high/low temperature, temperature shock, humidity, explosive atmosphere)
- IP65 certified sealed all-weather fanless design
- Optional class I division 2, groups ABCD certified model
- Solid state drive heater
- Magnesium alloy chassis encased with ABS and elastomer corner guards
- Optional hand strap or rotating hand strap
- Port covers
- Raised bezel for LCD impact protection
- Pre-installed replaceable screen film for LCD protection

CPU

- Intel® Core™ m5-6Y57 vPro™ Processor
 - 2.8GHz with Intel® Turbo Boost up to 2.3GHz
 - 4MB cache

STORAGE & MEMORY

- 8GB SDRAM (LPDDR3)
- 256GB SSD with heaters²
- Optional OPAL encrypted SSD with heater

DISPLAY

- 7" WXGA 1280 x 800
- 10-point capacitive gloved multi touch
- 500 nit
- IPS with direct bonding
- Anti-reflective (AR) and anti-glare (AG) screen treatments
- Intel® HD graphics 4200 video controller, max. 1664MB shared VRAM with Win 8 64-bit⁴
- Dual monitor support
- Concealed mode (configurable)

AUDIO

- Integrated microphone
- Realtek high-definition audio
- Integrated speaker
- On-screen and button volume and mute controls

CAMERAS

- 720p webcam with mic with camera on/off indicator
- 8MP rear camera with auto-focus and LED light

KEYBOARD & INPUT

- Stylus pen with integrated stylus holder
- Supports glove mode and rain mode
- 6 tablet buttons (2 user-definable)
- On-screen QWERTY keyboard

INTERFACE & EXPANSION

- Docking connector 24-pin
- Headphones/Mic Mini-jack stereo
- USB 3.0 (x 1) Type A
- Optional USB 2.0 (x 1) Type A
- MicroSDXC UHS-I
- Optional 10/100/1000 Ethernet RJ-45

WIRELESS

- Optional 4G LTE multi carrier mobile broadband with satellite GPS⁵
- Optional GPS (u-blox NEO-M8N)
- Optional dual high-gain antenna pass-through
- Intel® Dual Band Wireless-AC 8260 Wi-Fi 802.11a/b/g/n/ac
- Bluetooth® v4.1 (Class 1) + EDR
- Security
 - Authentication: LEAP, WPA, 802.1x, EAP-TLS, EAP-FAST, PEAP
 - Encryption: CKIP, TKIP, 128-bit and 64-bit WEP, Hardware AES

POWER SUPPLY

- Li-Ion battery pack:
 - Standard battery: 7.2V, typical 3220mAh, min. 3120mAh
 - Long life battery: 7.2V, typical 7100mAh, min. 6800mAh
- Battery operation⁶:
 - Standard battery: 9 hours
 - Optional long life battery: 16 hours
 - Standard bridge battery: 1 minute swap time
- Battery charging time⁶:
 - Standard battery: 2.5 hours off, 4 hours on
 - Optional long life battery: 4.5 hours off, 6.5 hours on
- Bridge battery: 1 minute hot swap time
- AC Adapter: AC 100V-240V 50/60Hz, auto sensing/switching worldwide power supply

POWER MANAGEMENT

- Suspend/Resume Function, Hibernation, Standby

SECURITY FEATURES

- Password Security: Supervisor, User, Hard Disk Lock
- Kensington cable lock slot
- Trusted platform module (TPM) security chip v 1.2⁸
- Persistence⁹ technology by Absolute embedded in BIOS⁷
- Optional insertable SmartCard reader (half size or full size)¹
- Optional contactless RFID and SmartCard/NFC reader¹
 - ISO 15693 and 14443 A/B compliant

WARRANTY

- 3-year limited warranty, parts and labor

DIMENSIONS & WEIGHT³

- 7.98" (L) x 5.20" (W) x 0.71" (H)
- 1.2 lbs.

INTEGRATED OPTIONS⁹

- Choice of 4G LTE multi carrier mobile broadband with satellite GPS, or dedicated GPS
- UHF 900MHz RFID reader (EPC Gen 2)¹
- Choice of 1D/2D barcode reader (EA30), serial dongle, Ethernet, or 2nd USB 2.0 port¹⁰
- Choice of magstripe reader (rotating hand strap included), insertable half-size SmartCard reader, contactless SmartCard/NFC reader or UHF 900MHz RFID reader (EPC Gen2)¹

ACCESSORIES¹¹

- AC Adapter (3-prong) CF-AA6373AM
- Standard Battery Pack FZ-VZSU94W
- Long Life Battery Pack FZ-VZSU95W
- 4-Bay Battery Charger FZ-VCBM11U
- LIND Car Adapter 120W CF-LNDDC120
- LIND Car/AC Adapter 90W (with USB Port) CF-LNDACDC90
- LIND Car Adapter 90W MIL-STD CF-LNDMLDC90
- Hand Strap with Stylus Holder FZ-VSTM11U
- Rotating Hand Strap with Stylus Holder FZ-VSTM12U
- Hand Strap (for Magstripe reader only) FZ-VSTM13U
- Panasonic Shoulder Strap FZ-VNSM12U
- ToughMate Always-on M1 Case TBCM1A0-P
- ToughMate Holster TBCM1HSTR-P
- ToughMate Portfolio Case TBCM1PFLUO-BLK-P
- Gloved Multi Touch Stylus FZ-VNPM11U
- Cradlepoint Router
 - Verizon CP-IBR1100LPE-VZ
 - AT&T CP-IBR1100LPE-AT
- Full Desktop Cradle (simultaneous display output) FZ-VEBM12AU
- Lite-function Desktop Cradle FZ-VEBM11U
- Tether CF-VNT002U
- 7" Gloved Multi Touch LCD Protective Film FZ-VPFM11U

Please consult your reseller or Panasonic representative before purchasing.

Caution: Do not expose bare skin to this product when handling this unit in extreme hot or cold environments.

¹UHF RFID is mutually exclusive with insertable SmartCard, contactless SmartCard/NFC, magstripe, 1D/2D barcode, serial dongle, ethernet, and 2nd USB port.

²1GB = 1,000,000,000 bytes. Total usable memory will be less depending upon actual system configuration.

³Battery performance features such as charge time and life span can vary according to the conditions under which the computer and battery are used. Battery operation and recharge times will vary based on many factors, including screen brightness, applications, features, power management, battery conditioning and other customer preferences. Battery testing results from MobileMark 2007.

⁴Requires software and activation to enable theft protection.

⁵Length measurements do not include protrusions or configurable options.


⁶Accessories and Integrated Options may vary depending on your configuration. Visit Panasonic website for more accessories and details.

⁷TPM 2.0 available upon request - please contact your Panasonic representative.

⁸4G LTE and dedicated GPS (u-blox) are mutually exclusive.

⁹Insertable SmartCard, Contactless SmartCard/NFC, magstripe, UHF-RFID readers are mutually exclusive.

¹⁰1D/2D barcode reader, serial dongle, ethernet and 2nd USB (2.0) are mutually exclusive.



847-870-3805 | www.mruggedmobile.com | sales@mruggedmobile.com

Panasonic is constantly enhancing product specifications and accessories. Specifications subject to change without notice. Trademarks are property of their respective owners. ©2016 Panasonic Corporation of North America. All rights reserved. Toughpad FZ-M1 Spec Sheet_07/16

TOUGHPAD